

[Web Images Videos Maps News Shopping Gmail more ▼](#)
[Sign in](#)

Google scholar

virtual browser and load balancing and "abstract

Search

[Advanced Scholar Search](#)[Scholar Preferences](#)
☐ Search the Web ☒ Search English pages

Scholar

Articles and patents

anytime

include citations

Results 1 - 10 of about 88. (0.19 sec)

[\[PDF\] Java Access to Numerical Libraries](#)[psu.edu \[PDF\]](#)

HCJD y David, M Doolin - 1997 - CiteSeer

... request will be handled by different computational servers, thanks to the agent's **load balancing** strategy. ... interface to NetSolve cannot be used as an applet within a Web **browser** because of ... linear algebra subroutines as class files available for use in the Java **Virtual Machine** (JVM ...

[Related articles](#) - [View as HTML](#) - [All 8 versions](#)[High-Speed Migration by Anticipative Mobility](#)[umh.ac.be \[PDF\]](#)

L Stoops, K Verelst, T Mens, TD'Hondt - High Performance Computing-HiPC ... - Springer

... Alternatively, the code can be represented as bytecodes, which are interpreted by a **virtual** machine (as is the case ... on the receiving host computer in the same manner as interlaced image loading in a web **browser**. ... Another possible application of mobile code is **load balancing**. ...

[Related articles](#) - [BL Direct](#) - [All 4 versions](#)[\[CITATION\] Recovering reusable components from legacy systems by ...](#)

JQ Ning, A Engberts, W Kozaczynski, A Consulting, IL ... - Reverse Engineering, 1993 ..., 1993

[Cited by 60](#) - [Related articles](#) - [All 2 versions](#)[\[CITATION\] Designing distributed services with SDL](#)

E Sherratt, C Loftus - IEEE Concurrency, 2000

[Cited by 9](#) - [Related articles](#) - [BL Direct](#) - [All 6 versions](#)[\[PDF\] BREEDING FASTER TURTLES: PROGRESS TOWARDS A NETLOGO ...](#)[psu.edu \[PDF\]](#)

F SONDAHL, S TISUE, U WILENSKY - CiteSeer

... step in NetLogo's transition towards a complete compiler system targeting the Java **Virtual Machine** platform. ... to be saved as Java applets, which can then be run in a web **browser**. ... could be run; however, for security reasons unsigned applets may not **load** dynamically generated ...

[Related articles](#) - [View as HTML](#) - [All 4 versions](#)[\[PDF\] Design and implementation of the GNU INSEL-compiler gic](#)[tum.de \[PDF\]](#)

M Pizka - SFB-Bericht - [www.broy.in.tum.de](http://www.broy.in.tum.de)

... have to provide facilities to maintain consistency of replicated objects, enforce access restrictions or perform **load balancing**. ... techniques such as distributed shared memory (DSM) [Li86] or mapping of the **virtual** address space. ... Figure 2.2: Part of a MAX **browser** screen shot 14 ...

[Cited by 29](#) - [Related articles](#) - [View as HTML](#) - [All 17 versions](#)

## Dynamic runtime optimization

T Kisiler - Modular Programming Languages - Springer

... are completely independent of any target machine, whereas chances of a **virtual** machine representation ... The few provided **load** and store instructions are, however, an order of magnitude slower ... be essential parts of future operating systems (eg e-mail, WWW-**browser**, ftp, news ...

[Cited by 21](#) - [Related articles](#) - [BL Direct](#) - [All 3 versions](#)

## [PDF] Design and Implementation of the GNU INSEL Compiler

[psu.edu \[PDF\]](#)

M Pizka - 1997 - Citeseer

... have to provide facilities to maintain consistency of replicated objects, enforce access restrictions or perform **load balancing**. ... techniques such as distributed shared memory (DSM) [Li86] or mapping of the **virtual** address space. ... Figure 2.2: Part of a MAX **browser** screen shot 14 ...

[Cited by 2](#) - [Related articles](#) - [View as HTML](#) - [All 2 versions](#)

## [PDF] ESC/ENS

[indiana.edu \[PDF\]](#)

GC Fox, NPA Center - [grids.ucs.indiana.edu](http://grids.ucs.indiana.edu)

... This transforms source language code into the C12R **abstract syntax tree** symbolic form. ... Inlining is used extensively, and dynamic memory allocation, unnecessary copying, true procedure calls, **virtual** functions and other forms of indirection are generally avoided unless they ...

[Related articles](#) - [View as HTML](#)

## Primary Class

IBIGWLIN DATABASES - [freepatentsonline.com](http://freepatentsonline.com)

... enable some dynamic properties, but when applied in the context of a Web **browser** page viewing ...

An incoming request first sees a **load-balancing** router that parcels requests out to front end servers. ... distributed in a compiled form, such as would be used on a **virtual** machine, or ...

Google

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [Next](#)

virtual browser and load balancing a Search

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google